




**Mounted points-Assortments, Quality EKR**
*Ordering example: A204700001402*

**Packing unit:**

1 pc. per type


Description	Shank Ø mm	Quality	Contents	1 piece each	Product-Number	recommended for	
Assortment 14	3	EKR	14-pieces	ZY 0205, ZY 0306, ZY 0408, ZY 0510, ZY 0610, ZY 0810, ZY 0816, ZY 1010, ZY 1013, ZY 1313, KU 0808, ZY 1303, ZY 1604, ZY 2006	A204700001402	<div style="display: flex; justify-content: space-between; width: 100%;"> <span>①</span> <span>②</span> <span>③</span> </div>	■

**Mounted points-Assortments, Quality EKR**
*Ordering example: A204800003602*
**Packing unit:**  
 1 pc. per type


Description	Shank Ø mm	Quality	Contents	1 piece each	Product-Number	recommended for	
Assortment 36	3	EKR	36-pieces	D1, D2, D3, D4, D5, D6, D7, D8, D9, D10, D11, D12, D13, D14, D15, D16, D17, D18, D19, D20, D21, D22, D23, D24, D25, D26, D27, D28, D29, D30, D31, D32, D33, D34, D35, D36	A204800003602	① ② ③	■

**Mounted points-Assortments, Quality EKBR**
*Ordering example: A204800003611*
**Packing unit:**  
 1 pc. per type


Description	Shank Ø mm	Quality	Contents	1 piece each	Product-Number	recommended for	
Assortment 36	3	EKBR	36-pieces	D1, D2, D3, D4, D5, D6, D7, D8, D9, D10, D11, D12, D13, D14, D15, D16, D17, D18, D19, D20, D21, D22, D23, D24, D25, D26, D27, D28, D29, D30, D31, D32, D33, D34, D35, D36	A204800003611	② ③	■

**Mounted points-Assortments, Quality EKR**
*Ordering example: A20460000202*

**Packing unit:**

1 pc. per type

Description	Shank Ø mm	Quality	Contents	1 piece each	Product-Number	recommended for										
Assortment 45	6	EKR	45-pieces	ZY 0306, ZY 0510, ZY 0408, ZY 0610, ZY 0810, ZY 0816, ZY 1010, ZY 1020, ZY 1032, ZY2 1303, ZY 1313, ZY 1320, ZY2 1604, ZY 1616, ZY 1620, ZY 1632, ZY2 2006, ZY 2020, ZY 2025, ZY 2032 ZY 2040, ZY2 2506, ZY2 2510, ZY 2520, ZY 2525, ZY 2532, ZY2 3208, ZY 3220, ZY 3232, ZY2 4010, ZY 4020, SP 0816, SP 1020, SP 1320, SP 2032, KE 1632, KE 1640, KE 2032, KE 2040, KU 1010, KU 1313, KU 1616, KU 2020, KU 2525, KU 3232	A20460000202	① ② ③	■									

## Material classification

### 1 STEELS AND CAST STEELS

Rm up to 800 N/mm<sup>2</sup>

- common structural steels
- free cutting steels
- case hardened steels
- fine grained structural steels
- extruded steels
- toughened structural steels
- boiler plate
- nitrided steels
- cast steels
- heat treated steels
- heat resistant structural steels

### 2 ALLOYED, TEMPERED STEELS

Rm 800 up to 1200 N/mm<sup>2</sup>

- case hardened steels
- spring steels
- fine grained structural steels
- nitrided steels
- heat treated steels
- wear resistant steels
- bearing steels

### 3 TOOL STEELS Rm up to 1300 N/mm<sup>2</sup>

- 60 - 65 HRC
- high-speed steels
- non-alloyed tool steels
- cold working tool steels
- hot working tool steels

### 4 RUST, ACID AND HEAT RESISTANT STEELS AND CAST STEELS

- austenitic
- ferritic
- ferritic-austenitic
- heat-resistant
- martensitic
- stainless, sulphurized

### 5 CAST IRON

### 6 ALUMINIUM, MAGNESIUM AND COPPER ALLOYS

- over 300 HB
- 200-300 HB
- up to 200 HB
- over 15% Si
- 10-15% Si
- 0,5-10% Si
- below 0,5% Si

### 7 TITANIUM AND NICKEL ALLOYS

- Rm 900 up to 1500 N/mm<sup>2</sup>
- Rm up to 900 N/mm<sup>2</sup>

### 8 PLASTICS, WOOD, RUBBER

### 9 GLASS / CARBIDES

### 10 STONE / TILES / GAS CEMENT

### 11 CONCRETE / REINFORCED CONCRETE

### 12 CERAMIC / FLOOR TILES

### 13 MARBLE

### 14 GRANITE

### 15 FRESHLY POURED CONCRETE

### 16 ASPHALT

● best suitable

○ suitable

■ delivery ex-stock

▲ delivery on request

Ⓢ regrind service, please enquire

## Safety Symbols

(Depending on the product these symbols may vary)



Wear eye protection



Wear hearing protection



Wear a respirator



Read the instructions



Wear gloves



Only permitted with a back-up pad



Not permitted for wet grinding



Not permitted for face grinding



Do not use if damaged



Do not use for freehand cutting